

Tales from across the sea.... <u>ASHRAE Dallas 2007</u>

Eur Ing Tim Dwyer BSe(HORS) CEng MIMechE FCIBSE Department of Engineering Systems London South Bank University timdwyer@lsbu.ac.uk




- ASHRAE Technical Meeting
 - 2,634 registered
- AHR Expo
 - 8 acres exhibition space
 - 1800 manufacturers from 32 countries
 - about 28,000 visitors



















Senate unclear on climate bill

N



6





























Global switch













Encouraging Lifelong Development









Trade Show Tech Session



Net Zero Energy Building Case Study: Science House

Steinbock, Eijadi, McDougal

- Classroom 53.9 m² (61%)
- Private office 13 m² (15%)
- Vestibule 10 m² (11%)
- Restroom 11.9 m² (13%)
- Total 88.8 m²





Methods applied does

- Dimming daylighting controls + HP glazing
 - 1.82 W/m²K, SHGC 0.44, light transmittance 0.73
 - saved 26% over base case
- High-efficiency ground-source heat pump with variable loop pumping
 - saved 20% over base case
- Heat pump assisted domestic hot water
 - saved 15% over base case



- Occupancy sensor control of all lights
 saved 11% over base case
- Unoccupied temperature setback/setup
 saved 5% over base case
- Total ventilation energy recovery
 - saved 3% over base case





Lessons Learned

- trade-offs during the design process
- photovoltaic system must be integral
- window placement based on performance
- PV installation logistics tricky
- visible systems can give acoustic problems
- clear comms needed designers & installers
- simple things can sometimes be overlooked
- comprehensive data acquisition is key
- building has exceeded the energy goa



EPAct Building Tax Deductions


- Tax deduction of \$1.80 per square foot (£10/m²) for commercial buildings that exceed the energy efficiency of a "baseline" building in ASHRAE 90.1-2001 Building Code by 50%.
- Tax deductions are also available for "sub systems" (eg Lighting; HVAC; Water Heating Envelope) that increase efficiency by 50%, up to \$0.60 per square foot (£3/m²)

EPAct Proving

- Evidencing software certified by DOE
- Buildings must be certified as to meeting the qualifications
- Buildings must be certified by 3rd party qualified personnel
- Statement must say that the building owner has received an explanation of the energy efficiency features and energy cost savings



For some background http://www.energy.gov/taxbreaks.htm http://www.eei.org/meetings/nonav_2006-11-30-jc/Rosenstock.ppt





Water - excellent COP


For background see <u>http://www.egr.msu.edu/mueller/</u>


Emerging Wireless Technologies

























- eg different kinds of task require different thermal body states for optimal performance.
 - Contemplative and imaginative tasks requiring relaxation may be helped by mildly warm body states
 - Analytical tasks requiring alertness and vigilance are sometimes better performed when the body state is slightly cool.
- Diversity of the recommendations made over the past 40 years is not surprising

Self-Assessed Productivity and the Office Environment

Humphreys and Nico


- Some kinds of manufacture, productivity has an obvious meaning—it is the rate of production
- Environment can affect work performance
- Cost of salaries typically far exceeds the capital and running cost of providing a workplace



- **IF** the environmental variables directly affected productivity
 - necessary to argue for tightly specified and closely controlled thermal environments
 - probably necessitating central air-conditioning
 - only so could productivity be optimized and cost-effectiveness ensured

However

- The productivity would depend upon whether the occupants were comfortable with their indoor environment
- Alternative strategies are therefore possible
- Sufficient individual control of the local workstation and is likely to enhance productivity
- Field studies high levels of satisfaction with well designed, naturally ventilated or mixed-mode buildings



A full list of the technical sessions can be seen at http://www.ashrae.org/events/page/948

Fales from across the sea.... ASHRAE Dallas 2007

Eur Ing Tim Dwyer BSC(Hone) CEng MIMechE FCIBSE Department of Engineering Systems London South Bank University timdwyer@lsbu.ac.uk